


F-K1 FORMULAZIO ORGANIKOA : ARIKETAK

- Beti iskin batean eta bere karbonoa lehenengoa kontu nagusia,n.

AMIDAK Ariketak



N-metil
↓
Nitrogen
ari lotuta
dauzdelak

| FORMULA | IZENA |
|--|---|
| 1. $H-\overset{\overset{O}{\parallel}}{C}-NH_2$ 1 | Metanamida |
| 2. $CH_2=CH-\overset{\overset{O}{\parallel}}{C}-NH_2$ 3 2 1 | Propenamida (Aukera bakarra lokalizatzailea ez) |
| 3. $\begin{matrix} & O & \\ & \parallel & \\ CH_2 & - & C & - & NH_2 \\ & & & & \\ CH_2 & - & CH_2 & - & CH_3 \\ 3 & 4 & 5 & & \end{matrix}$ | Pentanamida |
| 4. $\begin{matrix} & O & \\ & \parallel & \\ CH_3 & - & CH & - & CH_2 & - & C & - & NH & - & CH_2 \\ & & & & & & & & & & \\ & CH_3 & & & & & CH_3 & - & CH_2 & - & CH_2 & R' \end{matrix}$ | N-butil-3-metilbutanamida ↓ Amidaren nitrogenoari lotuta dagoelako. |
| 5. $CH_3-CH=CH-CH=CH-\overset{\overset{O}{\parallel}}{C}-NH_2$ 6 5 4 3 2 1 | Hexa-2,4-dienamida. (2,4-hexadienamida) |
| 6. $\begin{matrix} & O & \\ & \parallel & \\ CH_3 & - & CH & - & C & - & NH_2 \\ & & & & & & \\ & CH_3 & & & & & \end{matrix}$ 3 2 1 | metilpropanamida ↓ Aukera bakarra horregatik lokalizatzailea ez da jartzen. |
| $CH_3-\overset{\overset{O}{\parallel}}{C}-NH_2$ 2 1 | (7) etanamida |
| $CH_3-\overset{\overset{O}{\parallel}}{C}-N \begin{matrix} CH_3 & R' \\ & \\ CH_2 & - & CH_2 & - & CH_3 & R'' \end{matrix}$ 2 1 | (8) N-metil-N-propiletanamida |
| $CH_2=CH-CH=CH-\overset{\overset{O}{\parallel}}{C}-NH_2$ 5 4 3 2 1 | (9) penta-2,4-dienamida |
| $CH_3-\overset{\overset{O}{\parallel}}{C}-N \begin{matrix} H \\ \\ CH_2CH_3 & R' \end{matrix}$ 2 1 | (10) N-etiletanamida |
| $CH_3-CH_2-CH-\overset{\overset{O}{\parallel}}{C}-NH_2$ 4 3 2 1 | (11) 2-etilbutanamida |